

Audi RS 5 Sportback

Sportback tiptronic





Summary

Audi RS 5 Sportback Sportback tiptronic





Exteri	or
Turbo	Blue

Interior

Material: Alcantara/leather combination Black-Black-Rock Gray, Black-Black, Black, Black Engine typeV6 engineDisplacement2894 cm³Max. output, kW (hp)
at rpm331 kW @ 5.700 - 6.700 rpmMax. torque, Nm at
rpm600/2000 - 5000Top speed250 kphAcceleration 0-100
kmph3.9 Seconds

Audi Code AAYHG9PT

Technical data

www.audi.in/AAYHG9PT

Equipment

Turbo Blue

N6N6

Standard equipment

Comfort

4L6	Auto-dimming interior rearview mirror, frameless
6E3	Comfort center armrest in front
5RU	Exterior mirror on the right (large field of view), convex
6XL	Exterior mirrors, power-adjustable, heated and power-folding, auto-dimming on both sides, with memory feature
5ZF	Head restraints in front
5SL	Left exterior mirror, aspherical
4E7	Luggage compartment lid, electrically opening and closing
5A8	Luggage compartment trim (design 2)
9]A	Non-smoker package
816	Pneumatically adjustable lumbar support with massage feature for the front seats
3L4	Power front seats with memory feature for the driver seat
3NT	Rear seat system, 3-seater
Audio &	communication
9VD	Audi sound system
958	Audi Virtual Cockpit Plus
9ZX	Bluetooth interface
7UG	MMI Navigation plus with MMI touch
Assistance	ce systems
8T6	Cruise control system with speed limiter
7X2	Parking aid Plus
KA2	
	Rear view camera system
QK1	Rear view camera system With multifunction camera

Air Con

4GF	Windshield with acoustic glass
4D0	Without seat ventilation/massage seat
9AQ	3-Zone automatic air conditioning
Drive	
2H1	Audi drive select
QZ7	Electromechanical power steering
UH2	Hold assist
GH1	quattro with self-locking center differential
2MS	RS sports suspension
1LM	RS steel brakes
6Y2	Speed limiter

Function

7AA	Electronic immobilizer	
0M2	Fuel tank with increased volume (quattro)	
4UF	Full-size airbags with front passenger airbag deactivation	
3B3	ISOFIX child seat anchors and top tether for the rear seats	
6SS	Luggage compartment floor mat	
4X3	Side airbags in front and curtain airbag system	
1G5	Space-saving spare wheel	
7L8	Start/stop system	
151	Tool kit and jack	
9P7	Visual and acoustic seat belt reminder, electric contact in buckle	
Safety & technology		

1KP Disc brakes in rear

0P0 Standard exhaust system

Paints

6H0 Roof in body color

Wheels / tyres

45U	Alloy wheels, 10-spoke star style, 9.0] x 19, 265/35 R19 tyres
1PD	Anti-theft wheel bolts
FQ1	Audi Sport/quattro GmbH wheels
7K1	Tire pressure monitoring system
H45	Tires 265/35 R19 98Y x 1 (with modified sidewall)

Headlights

8X1	Headlamp washer system
8VM	LED rear combination lamps with dynamic turn signal
8IY	Matrix LED headlamps with dynamic turn signal
8K4	Separate daytime running light

Exterior design

6]D	Body-colored door handles		
6FA	Body-colored exterior mirror housings		
4ZL	Decorative trims		
NM1	Engine cover		
VJ3	Reinforced bumpers		
5L1	1 RS bumpers		
Roof sy	stems & windows		
Roof sy : 4KC	stems & windows Heat-insulating glass		

Seats

Q4Q Sports seats Plus in front

Interior design

	•		
GT6	Accent surfaces painted in Glossy Black		
5MD	Decorative inserts "Aluminium Race", Anthracite		
OTP	Floor mats in front and rear		
6NQ	Headliner in Black fabric		
7HE	Leather variant 4		
VF1	Pedals and foot rest in stainless steel		
VT3	RS scuff plates		
Seats & s	eat upholstery		
N7S	Alcantara/leather combination		
Steering wheel elements & controls			
6F6	Emblems		
1XP	Leather-wrapped steering wheel, 3-spoke, with multi-function Plus and steering wheel heating		

Light packages

001	Ambient Lighting package
~~ '	, indicine Eighting puckage

Other

- 1SB Additional front underbody guard
- 04A Basic
- QL1 Clear glass
- 1Z6 Increase in initial standard fuel filling
- 1X1 quattro
- KK3 Refrigerant R1234yf
- K8R Sportsback
- GP1 Vehicles with special upgrade measures

Technical data

Engine managementDirect injection, lambda control, knock control, turbocharger, intercoolersplit, ESC/ABS/EBD, brake t hydraulic brake assistExhaust emission controlCatalytic converter, oxygen sensor, gasoline particulate filterSteeringElectromechanical steering dependent power assistancePerformance data2894 cm³WeightsSteeringElectromechanical steering dependent power assistanceMax. output, kW (hp) at rpm331 kW @ 5.700 - 6.700 rpm at rpmKerb weight1795 Kg Gross weight limit2320 KgMax. torque, Nm at rpm600/2000 - 5000VolumesLuggage compartment465/1280 LitresDriveline Drivequattro permanent all-wheel drive clutchLuggage compartment465/1280 LitresTransmission8-speed tiptronicTop speed250 kphSuspension Front5-link front axle; tubular anti-roll barTop speed250 kphRear5-link rear axle; tubular anti-roll barAcceleration 0-100 kmph3.9 SecondsTyresTires 265/35 R19 98Y x 1 (with modified sidewall)FrontAlloy wheels, 10-spoke star style, 9.0] x				
Engine managementDirect injection, lambda control, knock control, turbocharger, intercoolersplit, ESC/ABS/EBD, brake t hydraulic brake assistExhaust emission controlCatalytic converter, oxygen sensor, gasoline particulate filterSteeringSteeringPerformance data2894 cm³WeightsMax. output, kW (hp) at rpm331 kW @ 5.700 - 6.700 rpm at rpmKerb weight1795 KgMax. torque, Nm at rpm600/2000 - 5000Gross weight limit2320 KgDrivelineugage compartment465/1280 LitresDrivequattro permanent all-wheel driveLuggage compartment465/1280 LitresClutchHydraulic torque converter with lock-up clutchTop speed250 kphSuspensionS-link front axle; tubular anti-roll barTop speed250 kphFrontS-link rear axle; tubular anti-roll barAcceleration 0-100 kmph3.9 SecondsTyresTires 265/35 R19 98Y x 1 (with modified sidewall)Tires 10, spoke star style, 9.0] xSuspension	Engine		Brake system	
Engine management Direct injection, lambda control, knock control, turbocharger, intercooler hydraulic brake assist Exhaust emission control Catalytic converter, oxygen sensor, gasoline particulate filter Steering Steering Performance data Displacement 2894 cm ³ Weights Max. output, kW (hp) all kW @ 5.700 - 6.700 rpm at rpm Kerb weight 1795 Kg Max. output, kW (hp) at rpm 600/2000 - 5000 Gross weight limit 2320 Kg Driveline Luggage compartment all-wheel drive clutch Luggage compartment 465/1280 Litres Drive quattro permanent all-wheel drive clutch Top speed 250 kph Suspension S-link front axle; tubular anti-roll bar Top speed 250 kph Front S-link front axle; tubular anti-roll bar Tres 265/35 R19 98Y x 1 (with modified sidewall) Acceleration 0-100 kmph 3.9 Seconds kmph Wheels Alloy wheels, 10-spoke star style, 9.0] x How wheels, 10-spoke star style, 9.0] x How wheels, 10-spoke star style, 9.0] x	Engine type	V6 engine	Brake system	Dual-circuit brake system with diagonal
controlgasoline particulate filterSteeringElectromechanical steering dependent power assistancePerformance data2894 cm³WeightsDisplacement2894 cm³WeightsMax. output, kW (hp) at rpm331 kW @ 5.700 - 6.700 rpm at rpmKerb weight1795 KgMax. torque, Nm at rpm600/2000 - 5000Gross weight limit2320 KgDrivelineLuggage compartment465/1280 LitresDrivequattro permanent all-wheel drive clutchLuggage compartment465/1280 LitresTransmission8-speed tiptronicFuel tank58 LitresSuspensionSuspensionTop speed250 kphFrontS-link front axle; tubular anti-roll barAcceleration 0-100 kmph3.9 SecondsTyresTires 265/35 R19 98Y x 1 (with modified sidewall)True to speek star style, 9.0] xSuppose to star style, 9.0] x	Engine management			
Performance data dependent power assistance Displacement 2894 cm ³ Weights Max. output, kW (hp) all kW @ 5.700 - 6.700 rpm at rpm Kerb weight 1795 Kg Max. torque, Nm at rpm 600/2000 - 5000 Gross weight limit 2320 Kg Driveline Uggage compartment 465/1280 Litres Drive quattro permanent all-wheel drive Luggage compartment 465/1280 Litres Clutch Hydraulic torque converter with lock-up clutch Fuel tank 58 Litres Transmission 8-speed tiptronic Top speed 250 kph Suspension Acceleration 0-100 kmph 3.9 Seconds kmph Front 5-link front axle; tubular anti-roll bar Acceleration 0-100 kmph 3.9 Seconds kmph Tyres Tires 265/35 R19 98Y x 1 (with modified sidewall) Hittis Kerb weight Kerb weight			-	
Max. output, kW (hp) at rpm331 kW @ 5.700 - 6.700 rpm at rpmKerb weight1795 KgMax. torque, Nm at rpm600/2000 - 5000Gross weight limit2320 KgDrivelineLuggage compartment465/1280 LitresDrivequattro permanent all-wheel drive clutchLuggage compartment465/1280 LitresTransmission8-speed tiptronicFuel tank58 LitresSuspensionSolutionTop speed250 kphFront5-link front axle; tubular anti-roll barAcceleration 0-100 kmph3.9 SecondsTyresTires 265/35 R19 98Y x 1 (with modified sidewall)Twith modified sidewallFuel tank58 LitresWheelsAlloy wheels, 10-spoke star style, 9.0) xFuel tankSuspensionFuel tankSuspensionTyresSuspensionFuel tankSuspensionSuspensionSuspensionSuspensionFuelSuspensionSuspensionSuspensionSuspensionSuspensionFuelSuspensionSuspen	Performance data		Steering	Electromechanical steering with speed- dependent power assistance
at rpmGross weight limit2320 KgMax. torque, Nm at rpm600/2000 - 5000VolumesDrivelineLuggage compartment465/1280 LitresDrivequattro permanent all-wheel drive clutchLuggage compartment465/1280 LitresClutchHydraulic torque converter with lock-up clutchFuel tank58 LitresTransmission8-speed tiptronicTop speed250 kphSuspensionS-link front axle; tubular anti-roll barTop speed3.9 SecondsFront5-link rear axle; tubular anti-roll barTires 265/35 R19 98Y x 1 (with modified sidewall)Suspension x 1 (with 	Displacement	2894 cm ³	Weights	
Max. torque, Nm at rpm600/2000 - 5000Gross weight limit2320 KgDrivelineVolumesDrivequattro permanent all-wheel driveLuggage compartment465/1280 LitresClutchHydraulic torque converter with lock-up clutchFuel tank58 LitresTransmission8-speed tiptronicTop speed250 kphSuspensionAcceleration 0-100 kmph3.9 SecondsFront5-link front axle; tubular anti-roll barAcceleration 0-100 kmph3.9 SecondsTyresTires 265/35 R19 98Y x 1 (with modified sidewall)YuthYuthWheelsAlloy wheels, 10-spoke star style, 9.0] xYuth		331 kW @ 5.700 - 6.700 rpm	Kerb weight	1795 Kg
DrivelineLuggage compartment465/1280 LitresDrivequattro permanent all-wheel driveFuel tank58 LitresClutchHydraulic torque converter with lock-up clutchFuel tank58 LitresTransmission8-speed tiptronicTop speed250 kphSuspensionSuspensionTop speed3.9 Seconds kmphFront5-link front axle; tubular anti-roll barAcceleration 0-100 kmph3.9 Seconds kmphTyresTires 265/35 R19 98Y x 1 (with modified sidewall)Tires 265/35 R19 98Y x 1 (with Modified sidewall)Yer Subsection State Style, 9.0] x		600/2000 - 5000	Gross weight limit	2320 Kg
Drivequattro permanent all-wheel driveLuggage compartment465/1280 LitresClutchHydraulic torque converter with lock-up clutchFuel tank58 LitresTransmission8-speed tiptronicPerformance dataSuspensionTop speed250 kphFront5-link front axle; tubular anti-roll barAcceleration 0-100 kmph3.9 SecondsRear5-link rear axle; tubular anti-roll barFries 265/35 R19 98Y x 1 (with modified sidewall)Fries 265/35 R19 98Y x 1 (with modified sidewall)Fries 265/35 R19 98Y x 1 (with modified sidewall)WheelsAlloy wheels, 10-spoke star style, 9.0] xFries 265/35 R19 Star style, 9.0] xFries 265/35 R19 Star style, 9.0] x			Volumes	
ClutchHydraulic torque converter with lock-up clutchFuel tank58 LitresTransmission8-speed tiptronicPerformance dataSuspensionTop speed250 kphFront5-link front axle; tubular anti-roll barAcceleration 0-100 kmph3.9 SecondsFront5-link rear axle; tubular anti-roll bar			Luggage compartment	465/1280 Litres
clutchPerformance dataTransmission8-speed tiptronicTop speed250 kphSuspensionAcceleration 0-100 kmph3.9 SecondsFront5-link front axle; tubular anti-roll bar			Fuel tank	58 Litres
SuspensionTop speed250 kphSuspensionAcceleration 0-100 kmph3.9 SecondsFront5-link front axle; tubular anti-roll barFront5-link rear axle; tubular anti-roll barRear5-link rear axle; tubular anti-roll barFrontFrontTyresTires 265/35 R19 98Y x 1 (with modified sidewall)FrontWheelsAlloy wheels, 10-spoke star style, 9.0] xFront	Clutch		Performance data	
Subspension kmph Front 5-link front axle; tubular anti-roll bar Rear 5-link rear axle; tubular anti-roll bar Tyres Tires 265/35 R19 98Y x 1 (with modified sidewall) Wheels Alloy wheels, 10-spoke star style, 9.0] x	Transmission	8-speed tiptronic	Top speed	250 kph
Front5-link front axle; tubular anti-roll barRear5-link rear axle; tubular anti-roll barTyresTires 265/35 R19 98Y x 1 (with modified sidewall)WheelsAlloy wheels, 10-spoke star style, 9.0] x	Suspension			3.9 Seconds
TyresTires 265/35 R19 98Y x 1 (with modified sidewall)WheelsAlloy wheels, 10-spoke star style, 9.0] x	Front	5-link front axle; tubular anti-roll bar	Kinpii	
modified sidewall)WheelsAlloy wheels, 10-spoke star style, 9.0J x	Rear	5-link rear axle; tubular anti-roll bar		
	Tyres			
13, 200, 35 KT3 Cyco	Wheels	Alloy wheels, 10-spoke star style, 9.0J x 19, 265/35 R19 tyres		



Consumption and emissions

Fuel consumption

Fuel grade

Super Plus 98